



ELECTRONIC FAUCETS

NOFIMA®

2020

H₂O

AUTOMATIC FAUCETS FOR WASHBASIN

Automatic water tap



07260.B

Integral anti-legionella bacterium system

- Automatic water tap for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Anti-vandal aerator.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 142 height x Ø49 width x 183 depth (mm).

Mixer cold/hot automatic faucet



07260M.B

Integral anti-legionella bacterium system

- Mixer cold/hot automatic water faucet for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries (AA) or means of transformer.
- Anti-legionella system.
- Anti-vandal aerator.
- Electro-valve inside the faucet.
- Flow 6 litres/minute.
- Dimensions: 142 height x Ø49 width x 183 depth (mm).

Automatic water tap



07260.N

Integral anti-legionella bacterium system

- Automatic water tap for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Anti-vandal aerator.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 142 height x Ø49 width x 183 depth (mm).

Mixer cold/hot automatic faucet



07260M.N

Integral anti-legionella bacterium system

- Mixer cold/hot automatic water faucet for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means transformer.
- Anti-legionella system.
- Anti-vandal aerator.
- Electro-valve inside the faucet.
- Flow 6 litres/minute.
- Dimensions: 142 height x Ø49 width x 183 depth (mm).

Automatic water tap



07261.B

Integral anti-legionella bacterium system

- Automatic water tap for washbasin.
- Opening via infrared sensor.
- Works by AA batteries.
- Anti-legionella system.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 158 height x Ø51 width x 140 depth (mm).

Mixer cold/hot automatic faucet



07261M.B

Integral anti-legionella bacterium system

- Mixer cold/hot automatic water faucet for washbasin.
- Opening via infrared sensor.
- Powered by AA batterie.
- Anti-legionella system.
- Electro-valve inside the faucet.
- Flow 6 litres/minute.
- Dimensions: 158 height x Ø51 width x 140 depth (mm)

Automatic water tap



07262.B

Integral anti-legionella bacterium system

- Automatic water tap with long spout for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 350 height x Ø60 width x 185 depth (mm).

Mixer cold/hot automatic faucet



07262M.B

Integral anti-legionella bacterium system

- Automatic water tap with long spout for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 350 height x Ø60 width x 185 depth (mm).

07260.B

07260.N

07261.B

07262.B

07260M.B

07260M.N

07261M.B

07262M.B

Automatic water tap



07263.B

Integral anti-legionella bacterium system

- Automatic water tap for wall mounting.
- Opening via infrared sensor.
- Powered by AAA batteries.
- Anti-legionella system.
- Anti-vandal aerator.
- Electro-valve and batteries inside the faucet.
- Flow 6 litres/minute.
- Dimensions: 250 depth x Ø48 width (mm).

Automatic water tap



07264.B

Integral anti-legionella bacterium system

- Automatic water tap with long spout for washbasin.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the box on countertop.
- Flow 6 litres/minute.
- Dimensions: 260 height x Ø45 width x 220 depth (mm.)

AUTOMATIC FAUCETS FOR URINAL

Automatic water tap for urinal



07280.B

Integral anti-legionella bacterium system

- Automatic water tap for urinal.
- Model for wall mounting and flushed installation.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the build it box.
- Includes shut-off valve
- Dimensions: Ø150 width (mm)

Automatic water tap for urinal



07281.B

Integral anti-legionella bacterium system

- Automatic water tap for urinal.
- Model for wall mounting and exposed installation.
- Bended pipe included.
- Opening via infrared sensor.
- Powered by AAA batteries.
- Anti-legionella system.
- Flow 6 litres/minute.
- Electro-valve and batteries inside the faucet.
- Includes shut-off valve
- Dimensions: 310 height x Ø46 width (mm).

AUTOMATIC FAUCETS FOR TOILETS

Automatic water tap for toilet



07291.B

Integral anti-legionella bacterium system

- Automatic water tap for toilet.
- Model for wall mounting and flushed installation.
- Opening via infrared sensor.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the build it box.
- Includes shut-off valve.
- Dimensions: Ø155 width x 9 depth (mm).

Automatic water tap for toilet



07292.B

Integral anti-legionella bacterium system

- Automatic water tap for toilet.
- Model for wall mounting and flushed installation.
- Opening via infrared sensor.
- The toilet flusher works automatically and manual.
- Powered by AA batteries or means of transformer.
- Anti-legionella system.
- Electro-valve inside the build it box.
- Includes shut-off valve.
- Dimensions: Ø155 width x 9 depth (mm).

NOFER UK - INDELE LIMITED

7 Bell Yard
London
WC2A 2JR

☎ 01256 976 821
07584 229 335

✉ sales@indele.co.uk
🌐 www.nofer.co.uk

NOFER, S.L.

📍 Ctra. Laureà Miró, 385-387
08980 Sant Feliu de Llobregat
Barcelona - España

☎ +34 934 742 423
☎ +34 934 743 548

✉ nofer@nofer.com
🌐 www.nofer.com

GIAMPIERI BOCCHISAFEWORKNOFER S.R.L.

📍 Via Torino, 10
20060 Liscate
Milano - Italia

☎ +39 0249 796 141
☎ +39 0239 290 753

✉ info-bocchi@nofer.com

Business group:



BOCCHI  SafeWORK

NOFER®

agelar, sa.



INDUSTRIAS CÁNOVAS S.A.

